

## CANON PIXMA MX477



Rating: Not Rated Yet

**Price:**

Rp1,955,000

[Ask a question about this product](#)

<b>Description</b>	<b>Platform</b>	Multifunction
	<b>Metode Cetak</b>	InkJet
	<b>Maks. Besaran Kertas</b>	A4
	<b>Maks. Resolusi</b>	4800
	<b>Effective Print Resolution</b>	4800 (horizontal)*1 x 1200 (vertical) dpi
	<b>Kecepatan Cetak B/W</b>	12 ppm
	<b>Kecepatan Cetak Warna</b>	approx. 5.5ipm ppm
	<b>Monthly Usage Volume</b>	up to 3,000 pages
	<b>Konektivitas</b>	USB, Wireless
	<b>Kesesuaian Sistem Operasi</b>	Windows 8 / Windows 7 / Windows XP / Windows Vista, Mac OS X v10.6.8 and later
	<b>Jaringan</b>	Available
	<b>Media</b>	Plain Paper Photo Paper Pro Platinum(PT-101),Photo Paper Plus Glossy II (PP-201), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-Gloss (SG-201), Glossy Photo Paper "Everyday Use" (GP-601), Matte Photo Paper (MP-101)
	<b>Compatible Media Sizes</b>	A4, A5, B5, LTR, LGL, 4 x 6", 5 x 7", 8 x 10", Envelopes (DL, COM10),
	<b>Facsimile Function</b>	<ul style="list-style-type: none"><li>• Type : Desktop Transceiver (Super G3 / Colour Communication)</li><li>• Applicable Line : PSTN (Public Switched Telephone Network)</li><li>• Transmission Speed :<ul style="list-style-type: none"><li>◦ Black : approx. 3secs. (33.6kbps)</li><li>◦ Colour : approx. 1min. (33.6kbps)</li></ul></li><li>• Fax Resolution :<ul style="list-style-type: none"><li>◦ Black : 8pels/mm x 3.85lines/mm (Standard), 8pels/mm x 7.7lines/mm (Fine), 300dpi x 300dpi (Extra Fine)</li><li>◦ Colour : 200 x 200dpi</li></ul></li></ul>

- Print Size : A4, LTR, LGL
- Scanning Width : 208mm (A4), 214mm (LTR)
- Modem Speed : maximum 33.6kbps (Automatic fall back)
- Transmission / Reception Memory : approx. 50 pages

#### Copier Function

- Maximum Document Size : A4, LTR (216 x 297mm), (ADF: A4, LTR, LGL)
- Compatible Media :
  - Size: A4, A5, B5, LTR, LGL, 4 x 6", 5 x 7"
  - Type: Semi-Gloss : Plain Paper Photo Paper Pro Platinum(PT-101)
- Image Quality : 3 positions (Fast, Standard, High)
- Density Adjustment : 9 positions, Auto intensity (AE copy)

#### Scanner Function

- Scanner Type : Flatbed & ADF
- Scanning Method : CIS (Contact Image Sensor)
- Optical Resolution : 1200 x 2400 dpi
- Selectable Resolution : 25 - 19200dpi
- Scanning Bit Depth (Input / Output)
  - Grayscale: 16bits / 8bits
  - Colour: 48bits / 24bits (RGB each 16bits / 8bits )
- Line Scanning Speed :
  - Grayscale: 1.2ms/line (300dpi)
  - Colour: 3.5ms/line (300dpi)
- Scanning Speed : A4 Colour / 300dpi Approx. 15secs.
- Maximum Document Size
  - Flatbed: A4, LTR (216 x 297mm)
  - ADF: A4, LTR, LGL

#### Power Consumption

- Standby (scanning lamp is off) : Approx. 1W
- OFF: Approx. 0.3W
- Copying: Approx. 18W

**AC Adapter**  
**Dimensi**  
**Berat**

AC100 - 240V, 50 / 60Hz  
approx. 458 mm(W) x 385(D) x 200mm(H)  
9Kg

#### Reviews

There are yet no reviews for this product.

